-					
			Toos	M. Parlle 10	ا هها
L Number	Hits	Search Text	DB	Time stamp	, ,
-	0	"implementing an end-to-end".ti.	USPAT;	2004/03/30 11:21	
			US-PGPUB		
-	1	"voice band data relay".ti.	USPAT;	2004/03/30 11:47	
		·	US-PGPUB		
-	26	(375/222.CCLS. AND @pd<20000211) AND gateway	USPAT;	2004/03/30 11:48	
•			US-PGPUB		
_	729	375/222.CCLS. AND @pd<20000211	USPAT:	2004/03/31 09:00	
			US-PGPUB	200 1100101 07100	
_	138	375/222.CCLS. AND @pd<20000211 AND error ADJ correct\$	USPAT;	2004/03/30 12:03	
			US-PGPUB	200 1103/30 12:05	
_	729	375/222.CCLS. AND @pd<20000211	USPAT;	2004/03/31 09:00	
	, 2,	STORED COLD. THE COPA STORED TO	US-PGPUB	2004/03/31 07:00	
_	115	(375/222.CCLS. AND @pd<20000211) AND "central office"	USPAT;	2004/03/31 09:11	
	115	(3737222.CCLS. AND (apa-20000211) AND cellular office	US-PGPUB	2004/03/31 09.11	
	9590	Ilmadamii AND ilaatayayii		2004/02/21 00:12	
•	8580	"modem" AND "gateway"	USPAT;	2004/03/31 09:13	
	7020	(" 1 4 17 4 4	US-PGPUB	2004/02/21 00 12	
•	7030	("modem" AND "gateway") AND protocol	USPAT;	2004/03/31 09:13	
			US-PGPUB		
•	880	("modem" AND "gateway") AND protocol AND @pd<20000211	USPAT;	2004/03/31 09:17	
	C.		US-PGPUB	[
-	47	(("modem" AND "gateway") AND protocol AND @pd<20000211) AND	USPAT;	2004/03/31 09:36	
		(error WITH correct\$ WITH protocol)	US-PGPUB		
-	22750	370/\$.CCLS. AND @pd<20000211	USPAT;	2004/03/31 09:36	
			US-PGPUB		
-	1005	(370/\$.CCLS. AND @pd<20000211) AND gateway	USPAT;	2004/03/31 09:36	
			US-PGPUB		
-	1099	(370/\$.CCLS. AND @pd<20000211) AND "end-to-end"	USPAT;	2004/03/31 09:38	
}			US-PGPUB		
-	0	370/229.CCLS, AND 370/230.CCLS, AND 370/230.1.CCLS, AND	USPAT;	2004/03/31 09:39	
		370/231-235.CCLS. AND @pd<20000211	US-PGPUB		
_	713	(370/229.CCLS. OR 370/230.CCLS. OR 370/230.1.CCLS. OR	USPAT;	2004/03/31 11:41	
		370/231-235.CCLS.) AND @pd<20000211	US-PGPUB		
- 1	20	370/\$.CCLS. AND ("RNR" WITH frame)	USPAT;	2004/04/01 14:45	
			US-PGPUB		
_	2	((370/229.CCLS. OR 370/230.CCLS. OR 370/230.1.CCLS. OR	USPAT;	2004/03/31 10:25	
	_	370/231-235.CCLS.) AND @pd<20000211) AND (error WITH correct	US-PGPUB		
:		WITH protocol)			
.	713		USPAT;	2004/03/31 11:41	
	,13	370/231-235.CCLS.) AND @pd<20000211	US-PGPUB	200 (/05/51 11:11	
	192	(370/232.CCLS.) AND @pd<20000211	USPAT;	2004/03/31 15:20	
1	172	(370/232.00003.)7111D (@pt 120000211	US-PGPUB	2004/03/31 13.20	
	1	"4629830".PN.	USPAT	2004/03/31 15:16	
	1	"5214688".PN.	USPAT	2004/03/31 15:17	
	1	"5392280".PN.	USPAT	2004/03/31 15:18	
	1	"5444707".PN.	USPAT	2004/03/31 15:19	
	1	"5507006".PN.	USPAT	2004/03/31 15:19	
	1	"5774455".PN.	USPAT	2004/03/31 15:20	
·			USPAT;	1	
•	26261	gateway	•	2004/03/31 17:18	
	•	"digital network gateway"	US-PGPUB USPAT;	2004/02/21 15:22	
•	3	angital network gateway	-	2004/03/31 15:23	
	2420	270/401 COLC	US-PGPUB	2004/02/21 15:22	•
•	2429	370/401.CCLS.	USPAT;	2004/03/31 15:23	
	400	270/401 OGLS AND 6-4-20000211	US-PGPUB	2004/02/21 15 22	
•	465	370/401.CCLS. AND @pd<20000211	USPAT;	2004/03/31 15:23	
		(270/401 001 0 42/7 0 1 20000011) 42/7	US-PGPUB	2004/02/23	
•	159	(370/401.CCLS. AND @pd<20000211) AND gateway	USPAT;	2004/03/31 15:46	
	-		US-PGPUB	0004/07/22	
•	6	"5963621"	USPAT;	2004/03/31 15:47	
			US-PGPUB		
•	4171	gateway AND ATM	USPAT;	2004/03/31 17:13	
	_		US-PGPUB		
-	312	gateway AND "voice band"	USPAT;	2004/04/01 09:39	
			US-PGPUB	· ·	

Search History 10/18/04 5:10:18 PM Page 1

-	. 124	gateway AND XID	USPAT; US-PGPUB	2004/03/31 17:19
-	36	(gateway AND XID) AND @pd<20000211	USPAT; US-PGPUB	2004/03/31 17:20
-	52	gateway AND "voice band" AND @pd<20000211	USPAT; US-PGPUB	2004/04/01 09:44
-	16	"MOIP"	USPAT; US-PGPUB	2004/04/01 10:14
-	4	60182110.RLAN.	USPAT; US-PGPUB	2004/04/01 10:04
-	28	hluchyj.in.	USPAT; US-PGPUB	2004/04/01 10:04
_	0	"MOIP"	ЕРО; ЛРО	2004/04/01 10:15
l _	0	"modem over ip"	ЕРО; ЛРО	2004/04/01 10:15
	2	"voip" AND @pd<20000211	ЕРО; ЛО	2004/04/01 10:15
	236	"voip"	EPO; JPO	2004/04/01 10:13
-	2662	"voip"	USPAT;	2004/04/01 10:20
-		•	US-PGPUB	
-	0	"voip" AND @pd<20000211	USPAT; US-PGPUB	2004/04/01 10:21
-	217	"voip" AND @pd<20020211	USPAT; US-PGPUB	2004/04/01 10:21
-	0	"voip" AND @pd<20000211	USPAT; US-PGPUB	2004/04/01 10:21
-	3272	"voice" WITH "over" WITH "ip"	USPAT; US-PGPUB	2004/04/01 10:22
-	36	("voice" WITH "over" WITH "ip") AND @pd<20000211	USPAT; US-PGPUB	2004/04/01 11:01
-	`94	somekh.in.	USPAT; US-PGPUB	2004/04/01 11:01
-	399	v.42	USPAT; US-PGPUB	2004/04/01 11:55
-	170	v.42 AND @pd<20000211	USPAT; US-PGPUB	2004/04/01 12:01
-	1	09127223.rlan.	USPAT; US-PGPUB	2004/04/01 12:01
-	2	09/127223	USPAT; US-PGPUB	2004/04/01 12:47
-	13	"5546388"	USPAT; US-PGPUB	2004/04/01 12:51
_	1	"Re31182".PN.	USPAT	2004/04/01 12:50
-	1	"5311345".PN.	USPAT	2004/04/01 12:50
-	1	"5282238".PN.	USPAT	2004/04/01 12:50
-	1	"5223968".PN.	USPAT	2004/04/01 12:50
-	1	"5042028".PN.	USPAT	2004/04/01 12:50
_	22	"5790641"	USPAT;	2004/04/01 13:19
-	42	"error correcting protocol" AND modem	US-PGPUB USPAT;	2004/04/01 13:19
-	29	("error correcting protocol" AND modem) AND @pd<20000211	US-PGPUB USPAT;	2004/04/01 13:28
	347	v.8	US-PGPUB USPAT;	2004/04/01 13:28
_	213	v.8 and modem	US-PGPUB USPAT;	2004/04/01 13:28
_	29	(v.8 and modem) AND @pd<20000211	US-PGPUB USPAT;	2004/04/01 13:48
_	0	("v.32" OR "v.32 bis" OR "v.34" OR "V.90") AND ("1800Hz" OR	US-PGPUB USPAT;	2004/04/01 14:39
_	3925	"1.8Khz") suspend\$ WITH transmission\$	US-PGPUB	
			USPAT; US-PGPUB	2004/04/01 14:44
	466	(suspend\$ WITH transmission\$) AND modem	USPAT; US-PGPUB	2004/04/01 14:39

191	((suspend\$ WITH transmission\$) AND modem) AND @pd<20000211	USPAT;	2004/04/01 14:40
0	(suspend\$ WITH transmission\$) NEAR (transmission WITH rate)	USPAT;	2004/04/01 14:44
336	"RNR"	USPAT;	2004/04/01 14:45
185	"RNR" AND @pd<20000211	USPAT;	2004/04/01 15:06
3625	modem AND "flow control"	USPAT;	2004/04/01 15:06
1093	(modem AND "flow control") AND @pd<20000211	USPAT;	2004/04/01 15:07
32	((modem AND "flow control") AND @pd<20000211) AND modem.ti.	USPAT;	2004/04/01 15:29
1	"return symbol FIFO"	USPAT;	2004/04/01 15:30
0	"VDB relay protocol"	USPAT;	2004/04/01 15:30
6	"5963621"	USPAT;	2004/04/01 15:48
51	ration.ti.	USPAT; US-PGPUB	2004/04/01 15:49
21	"estimating signal".ti.	USPAT; US-PGPUB	2004/04/01 15:55
3518	"packet length"	USPAT; US-PGPUB	2004/04/01 15:55
59	"packet length" WITH increased	USPAT; US-PGPUB	2004/04/02 09:22
21	penet.in.	USPAT; US-PGPUB	2004/04/02 09:23
5		US-PGPUB	2004/04/02 09:27
7	"5327429"	USPAT; US-PGPUB	2004/04/02 09:28
		USPAT; US-PGPUB	2004/04/02 09:29
		US-PGPUB	2004/04/02 09:47
		US-PGPUB	2004/04/02 09:48
		US-PGPUB	2004/04/02 09:54
		US-PGPUB	2004/04/02 10:22
		US-PGPUB	2004/04/02 09:55
	buffer.ti.	US-PGPUB	2004/04/02 09:56
	, 5.	US-PGPUB	2004/04/02 09:56
		US-PGPUB	2004/04/02 10:22
	@pd<20000211	US-PGPUB	2004/04/02 10:25
	·	US-PGPUB	2004/04/02 10:25
		US-PGPUB	2004/04/02 10:35
		US-PGPUB	
		US-PGPUB	2004/04/02 10:26
129	עווא אויט "גג"	USPAT; US-PGPUB	2004/04/02 10:35
	0 336 185 3625 1093 32 1 0 6 51 21 3518 59 21 5 7 223 8 10	(suspend\$ WITH transmission\$) NEAR (transmission WITH rate) 336 "RNR" 185 "RNR" AND @pd<20000211 3625 modem AND "flow control") AND @pd<20000211 302 ((modem AND "flow control") AND @pd<20000211) AND modem.ti. 1 "return symbol FIFO" 0 "VDB relay protocol" 6 "5963621" 51 ration.ti. 21 "estimating signal".ti. 3518 "packet length" 59 "packet length" WITH increased penet.in. 5 penet.in. AND xavier.in. 7 "5327429" 223 tal.in. 10 09/454,219.10 09/454,219.11 m. 10 09/454,219.11 m. 11 modem AND buffer) AND @pd<20000211 0 (((modem AND buffer) AND @pd<20000211) AND modem.ti.) AND buffer.ti. 200 (((modem AND buffer) AND @pd<20000211) AND modem.ti.) modem AND (buffer WITH transmit WITH threshold) 17 (modem AND (buffer WITH transmit WITH threshold)) AND @pd<20000211 0 "RNR" 74 "RNR" AND modem. 40 ("RNR" AND modem) AND @pd<20000211	0 (suspend\$ WITH transmission\$) NEAR (transmission WITH rate) US-PGPUB USPAT; US-PGPUB US

-	61	("RNR" AND "RR") AND modem	USPAT; US-PGPUB	2004/04/02 10:35
-	34	(("RNR" AND "RR") AND modem) AND @pd<20000211	USPAT;	2004/04/02 10:48
-	67	"supervisory frame"	US-PGPUB USPAT;	2004/04/02 10:48
-	19	"supervisory frame" AND "flow control"	US-PGPUB USPAT;	2004/04/02 10:48
-	0	(("supervisory frame" AND "flow control") AND @pd<20000211) AND	US-PGPUB USPAT;	2004/04/02 10:48
-	11	modem ("supervisory frame" AND "flow control") AND @pd<20000211	US-PGPUB USPAT;	2004/04/02 16:50
_	11088	codec	US-PGPUB USPAT;	2004/04/02 17:10
_	4321	codec AND modem	US-PGPUB USPAT;	2004/04/02 16:50
_	1335	(codec AND modem) AND @pd<20000211	US-PGPUB USPAT;	2004/04/02 16:51
_	78	((codec AND modem) AND @pd<20000211) AND modem.ti.	US-PGPUB USPAT;	2004/04/02 16:51
	1	(5386412.PN. and (("supervisory frame" AND "flow control") AND	US-PGPUB USPAT;	2004/04/02 17:04
	5953	@pd<20000211)) AND "voice" codec AND voice	US-PGPUB	
-		•	USPAT; US-PGPUB	2004/04/02 17:06
-	295	codec AND "speech encoding"	USPAT; US-PGPUB	2004/04/02 17:14
-	511	codec AND VOIP	USPAT; US-PGPUB	2004/04/02 17:13
-	0	(codec AND VOIP) AND @pd<20000211	USPAT; US-PGPUB	2004/04/02 17:13
-	511	(codec AND VOIP) AND VOIP	USPAT; US-PGPUB	2004/04/02 17:13
-	102	(codec AND "speech encoding") AND @pd<20000211	USPAT; US-PGPUB	2004/04/02 17:20
-	1736	"pulse code modulation" AND modem	USPAT; US-PGPUB	2004/04/02 17:21
-	60	"pulse code modulation" AND modem.ti.	USPAT; US-PGPUB	2004/04/02 17:21
-	17	("pulse code modulation" AND modem.ti.) AND @pd<20000211	USPAT; US-PGPUB	2004/04/05 09:54
	5	"1372300"	DERWENT	2004/04/05 09:58
_	0	370/\$.CCLS. AND "non-informational"	DERWENT	2004/04/05 09:58
[-	0	370/\$.CCLS. AND "packet"		1
-			DERWENT	2004/04/05 10:02
-	4	370/\$.CCLS. AND "non-informational"	USPAT; US-PGPUB	2004/04/05 10:00
- ,	89	"non-informational"	USPAT; US-PGPUB	2004/04/05 10:01
-	54	"non-informational" AND @pd<20000211	USPAT; US-PGPUB	2004/04/05 10:01
	20739	370/\$.CCLS. AND "packet"	USPAT; US-PGPUB	2004/04/05 10:13
-	695	(370/\$.CCLS. AND "packet") AND (remove WITH data)	USPAT; US-PGPUB	2004/04/05 10:02
-	51	((370/\$.CCLS. AND "packet") AND (remove WITH data)) AND (replace WITH data)	USPAT; US-PGPUB	2004/04/05 10:02
-	16	(((370/\$.CCLS. AND "packet") AND (remove WITH data)) AND (replace WITH data)) AND @pd<20000211	USPAT; US-PGPUB	2004/04/05 10:02
-	552	"bandwidth expansion"	USPAT; US-PGPUB	2004/04/05 10:17
· -	177	"bandwidth expansion" AND packet	USPAT;	2004/04/05 10:17
-	59	("bandwidth expansion" AND packet) AND @pd<20000211	US-PGPUB USPAT;	2004/04/05 10:17
		<u> </u>	US-PGPUB	l

-	1	"interframe fill flags"	USPAT;	2004/07/13 08:31
-X-			US-PGPUB	
-	24	"inter frame fill"	USPAT;	2004/07/13 08:31
			US-PGPUB	
-	11	"inter frame fill" AND @pd<20000211	USPAT;	2004/07/13 08:31
			US-PGPUB	
-	13	abrishami.IN.	USPAT;	2004/10/18 15:36
			US-PGPUB	
-	0	abrishami.IN.	ЕРО; ЛРО	2004/10/18 16:06
-	39	375/220.CCLS.	ЕРО; ЈРО	2004/10/18 16:08
-	742	375/222.CCLS.	ЕРО; ЈРО	2004/10/18 16:07
-	0	709/249.CCLS.	ЕРО; ЈРО	2004/10/18 16:07
-	810	709/249.CCLS.	USPAT;	2004/10/18 16:07
	,		US-PGPUB	
-	742	375/222.CCLS.	ЕРО; ЈРО	2004/10/18 16:08
-	13	370/232.CCLS.	ЕРО; ЈРО	2004/10/18 16:08
-	39	375/220.CCLS.	ЕРО; ЛРО	2004/10/18 16:08
-	427	375/220.CCLS.	USPAT;	2004/10/18 16:08
			US-PGPUB	
-	1638	375/222.CCLS.	USPAT;	2004/10/18 16:08
L			US-PGPUB	